

Podaci aktuelni na dan: 05-02-2026 02:33

Link ka proizvodu: <https://cncworld.rs/occiszczacz-spalin-atomstack-d2-p-842.html>



Occiszczacz spalin Atomstack D2

Cena sa PDV-a	21 400.00 RSD
Cena bez PDV-a	17 833.33 RSD
Dostupnost	Dostupan
Vreme isporuke	48 sati
Kataloški broj	00A9

Opis proizvoda

Atomstack D2 Očistač dimnih gasova



Tehničke specifikacije Atomstack D2 očistača dimnih gasova:

Brend: Atomstack

Model: D2

Napajanje: 5V 1A

Protok vazduha: 255m³/h


Napon: 100-240 V

Dimenzije: 240x269x404 mm

Sistemi filtera:

- 1. sloj: Metalna zaštitna mreža | Velika izdržljivost, produžava život celog uređaja**
- 2. sloj (polusloj): Newoven tkanina | Čisti dim od većih čestica i štiti ostale filtere**
- 3. sloj: Pamuk-kompozitni elektrostatički filter | Filtrira čestice srednje veličine (1um)**
- 4.-5. sloj: Dvostruki kompozitni pamuk filtrira manje čestice (0,5um)**
- 6. sloj: HEPA filter za filtraciju sitnog prašine (0,3um)**
- 7. sloj: Visokoučinkoviti granulirani ugljen sa visokim sadržajem joda za poboljšanu apsorpciju | Čisti dim od štetnog formaldehida i drugih opasnih supstanci**
- 8. sloj: Kompozitni ugljeni filter sa aktivnim ugljem | Uklanja neprijatne mirise, bakterije i druge štetne spojeve**

Layer Filters Specially Designed for Laser Cutting, Filter **99.97%** of Harmful Substance and Odors



01. PROTECTIVE METAL MESH

Strong and durable, not easy to damage
Extends service life

02. Melt blown non-woven fabric

Filters large particles in the smoke
Effectively protects the internal filters

03. Composite electrostatic filter cotton

Filters medium particles of $1\mu\text{m}$ level in the smoke

04/05. Ultra-efficient double-layer composite filter cotton

Double-layer filtering of various particles as fine as $0.5\mu\text{m}$

06. H12 grade HEPA filter

Filters $0.3\mu\text{m}$ fine dust particles

07. High-iodine long-lasting granular activated carbon

Uses activated carbon to remove formaldehyde
Purifies PM2.5, formaldehyde and other harmful gases

08. High-efficiency composite powder activated carbon

Removes odors, bacteria and other harmful substances

Glavne karakteristike:

- Dizajniran za lasersko sečenje: Atomstack D2 očistač dimnih gasova, sa 8-slojnom jezgrinom filtera posebno dizajniranom za lasersko sečenje, efikasno filtrira mirise i štetne supstance nastale tokom laserskog sečenja. Stopa filtracije je do 99,97%.
- Ekološki prihvatljiv: Direktno puštanje dima od sečenja u vazduh stvara značajno zagađenje. Atomstack D2 očistač dimnih gasova smanjuje zagađenje vazduha i ekološki je prihvatljiv.

- Štiti od udisanja štetnih supstanci: Atomstack Maker očistač dimnih gasova filtrira dim od čestica poput PM2.5/PM10/formaldehida/TVOCs, smanjujući rizik od štetnih zdravstvenih komplikacija prilikom rada sa laserskim mašinama tokom dužih perioda.
- Dugi vek trajanja: Jedan element filtera može trajati do 3-6 meseci pri 3 sata dnevnog rada (ovo su procene i zavise od radnog okruženja).
- Jednostavna zamena filtera: Dovoljna su tri koraka, bez demontaže uređaja, da se zameni dati filter sloj za doslovno minut.
- Visoka kompatibilnost: Atomstack Maker D2 očistač dimnih gasova može raditi sa svim Atomstack, Ortur, NEJE, xTool, Sculpfun i drugim brendovima laserskih gravirača.



